


**DART**

DESIGN [Signature]	DRAWN BY [Signature]	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3357	REV. D SHEET 1 OF 3
DATE 05.12.02		TITLE SHAFTS	SCALE 1:1
A	04.12.13	NEW ISSUE	
B	05.05.27	ADD THREAD SPEC & 0.063; 17-4 PH ROUND WAS 303 HEX SS	
C	05.07.21	0.750 WAS 0.625; 0.100 WAS 0.063	
D	05.12.02	Ø0.624 WAS Ø0.623; 0.60 WAS 0.71	

**RELEASED**  
05/12/02**D3357-1 R22/R44 WHEEL SHAFT****NOTES:**


- 1) MATERIAL: 17-4 PH ROUND BAR STAINLESS STEEL CONDITION H900 (REF. DART SPEC. M17-4-R1.000)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 5) CENTER DRILL AS REQUIRED

**Copyright © 2004 by DART AEROSPACE LTD**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3357	REV. D SHEET 2 OF 3
DATE 05.12.02	TITLE SHAFTS		SCALE 1:1




### D3357-3 R22 LOCK SHAFT

#### NOTES:

- 1) MATERIAL: 17-4 PH ROUND BAR STAINLESS STEEL CONDITION H900  
(REF. DART SPEC. M17-4-R1.000)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 5) CENTER DRILL AS REQUIRED

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



**RELEASED**



- 1) MATERIAL: 17-4 PH ROUND BAR STAINLESS STEEL CONDITION H900  
(REF. DART SPEC. M17-4-R1.000)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 5) CENTER DRILL AS REQUIRED

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.